SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 16-Jan-2015 Revision Date 16-Jan-2015 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® 800 Stain Remover

Other means of identification

Product Code 10080 UN/ID No UN2922

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Danger

Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment

Hazard statements

Toxic if swallowed Fatal in contact with skin

Toxic if inhaled

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure



Appearance clear Physical state Liquid Odor Irritating

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Immediately call a POISON CENTER or doctor/physician

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

1.04896% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Sulfuric Acid	7664-93-9	5 - 10	*
Hydrogen Fluoride	7664-39-3	1 - 5	*
Polyethylene glycol octylphenyl ether	9036-19-5	1 - 5	*
Ethylene Glycol	107-21-1	1 - 5	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area. Rinse the eyes with a calcium gluconate 1% solution.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to

massage while repeatedly applying gel until 15 minutes after pain is relieved.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down.

Call a physician or poison control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms The product causes burns of eyes, skin and mucous membranes. Burns from this product

may not be immediately painful or evident. Exposures require fluoride specific treatment.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Soak up with inert absorbent

material. Pick up and transfer to properly labeled containers. Clean contaminated surface

thoroughly. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Keep out of the reach of children.

Incompatible materials Strong bases. Incompatible with oxidizing agents. Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric Acid	TWA: 0.2 mg/m³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9		(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Hydrogen Fluoride	TWA: 0.5 ppm F TWA: 2.5 mg/m ³	TWA: 3 ppm F TWA: 2.5 mg/m ³ F	IDLH: 30 ppm
7664-39-3	F	TWA: 2.5 mg/m ³ dust	Ceiling: 6 ppm 15 min
	S*	(vacated) TWA: 3 ppm F	Ceiling: 5 mg/m ³ 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m ³	TWA: 3 ppm
		(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m ³
Ethylene Glycol	Ceiling: 100 mg/m³ aerosol only	(vacated) Ceiling: 50 ppm	-
107-21-1		(vacated) Ceiling: 125 mg/m ³	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations

Ventilation systems. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

Not Applicable

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceOdorIrritating

ColorOdor thresholdNo information available

Property Values Remarks • Method

pH 1.4

Melting point/freezing point No information available

Boiling point/boiling range No information available Flash point

Evaporation rate

No information available

No information available

Flammability (solid, gas) No information available Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.056

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosityNo information availableExplosive propertiesNot ApplicableOxidizing propertiesNot Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Strong bases. Incompatible with oxidizing agents. Metals.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Toxic if swallowed Fatal in contact with skin Toxic by inhalation Causes serious eye

damage

Inhalation Avoid breathing vapors or mists. May be fatal if inhaled.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin ContactContact causes severe skin irritation and possible burns. May be absorbed through the skin

in harmful amounts. Burns from this product may not be immediately painful or evident.

Exposures require fluoride specific treatment.

Ingestion May be fatal if swallowed. Ingestion causes burns of the upper digestive and respiratory

tracts.

Component Information

Joinponent information			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Sulfuric Acid 7664-93-9	= 2140 mg/kg (Rat)	-	= 510 mg/m ³ (Rat) 2 h = 347 ppm (Rat) 1 h
Hydrogen Fluoride 7664-39-3	-	-	= 850 mg/m ³ (Rat) 1 h = 1276 ppm (Rat) 1 h
Polyethylene glycol octylphenyl ether 9036-19-5	= 4190 mg/kg(Rat)	-	-
Ethylene Glycol 107-21-1	= 4000 mg/kg (Rat)	= 9530 μL/kg(Rabbit)	-

Information on toxicological effects

Symptoms

The product causes burns of eyes, skin and mucous membranes. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment. Toxic in contact with skin and if swallowed. Fatal if inhaled. Fatal in contact with skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicityNo information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target Organ Effects central nervous system, Eyes, Respiratory system, Skin, Teeth.

Aspiration hazard Risk of serious damage to the lungs (by aspiration).

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.04896% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 130 mg/kg
ATEmix (dermal) 133 mg/kg
ATEmix (inhalation-gas) 13788 mg/l
ATEmix (inhalation-dust/mist) 0.9 mg/l
ATEmix (inhalation-vapor) 8.6 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric Acid 7664-93-9	-	500: 96 h Brachydanio rerio mg/L LC50 static	-	29: 24 h Daphnia magna mg/L EC50
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41000: 96 h Oncorhynchus mykiss mg/L LC50 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static	-	46300: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Hydrogen Fluoride 7664-39-3	-1.4
Ethylene Glycol 107-21-1	-1.93

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated UN/ID No UN2922

Proper shipping name Corrosive Liquid, Toxic, n.o.s. (Hydrofluoric and Sulfuric Acid)

Hazard Class 8
Subsidiary class (6.1)
Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

Complies TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sulfuric Acid - 7664-93-9	7664-93-9	5 - 10	1.0
Hydrogen Fluoride - 7664-39-3	7664-39-3	1 - 5	1.0
Ethylene Glycol - 107-21-1	107-21-1	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute health hazard

Yes

Chronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric Acid 7664-93-9	1000 lb	-	-	Х
Hydrogen Fluoride 7664-39-3	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Hydrogen Fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Ethylene Glycol 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sulfuric Acid 7664-93-9	X	X	X
Ethylene Glycol 107-21-1	Х	X	X

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

Prepared By Regulatory Department

Issue Date 16-Jan-2015
Revision Date 16-Jan-2015
Revision Note

No information available

Disclaimer

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet